

Docket No.: YHK-0129



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Sang Jin YOON

Confirmation No.: 9803

Group Art Unit: 2828

Serial No: 10/743,800

Examiner: David Hung VU

Filed: December 24, 2003

Customer No.: 34610

For: METHOD OF DRIVING PLASMA DISPLAY PANEL

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☒ No additional fee is required.
☐ Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	21	22		x \$50.00 =	\$
Independent Claims	4	4		x \$200.00 =	\$
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					\$0.00

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$ _____. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$ _____ (Check # _____) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Y.J. Kim
Registration No. 36,186

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK/cah
Date: October 27, 2005

Please direct all correspondence to Customer Number 34610

\\fk4\Documents\2017\2017-117\78116.doc

Docket No.: YHK-0129

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 9803

Sang Jin YOON

Group Art Unit: 2828

Serial No.: 10/743,800

Examiner: David Hung VU

Filed: December 24, 2003

Customer No.: 34610

For: **METHOD OF DRIVING PLASMA DISPLAY PANEL**

AMENDMENT

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:

In reply to the Office Action of July 27, 2005, please amend the above-identified application as follows:

Amendments to the Drawings are reflected in this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Amendments to the Claims are reflected in the listing of claims.

Remarks/Arguments begin after the listing of the claims.

An **Appendix** including amended drawing figures is attached following the last page of this paper.